

Mallia™

LOOK
TOUCH
LOVE
WOO


Express Yourself Like Never Before

 **legrand®**



inside


LOOK	Love at First Sight	4
TOUCH	Something to Behold	10
LOVE	Marvel at the Versatility	12
WOO	Form and Functionality	18
CLOSE	Detail Catalogue	20



Mallia plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.

Mallia™ complete - white

single pole switches



2 810 00



2 810 04

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Mallia™ dressable - colour

single pole switches



2 830 02



2 832 04



Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch ● Silver
5	2 832 00	1 gang - 1-way switch ● Pearl
5	2 834 00	1 gang - 1-way switch ● Dark Silver
5	2 830 01	1 gang - 2-way switch ● Silver
5	2 832 01	1 gang - 2-way switch ● Pearl
5	2 834 01	1 gang - 2-way switch ● Dark Silver
4	2 830 08	1 gang - intermediate switch ● Silver
4	2 832 08	1 gang - intermediate switch ● Pearl
4	2 834 08	1 gang - intermediate switch ● Dark Silver
5	2 830 02	2 gang - 1-way switch ● Silver
5	2 832 02	2 gang - 1-way switch ● Pearl
5	2 834 02	2 gang - 1-way switch ● Dark Silver
5	2 830 03	2 gang - 2-way switch ● Silver
5	2 832 03	2 gang - 2-way switch ● Pearl
5	2 834 03	2 gang - 2-way switch ● Dark Silver
5	2 830 04	3 gang - 1-way switch ● Silver
5	2 832 04	3 gang - 1-way switch ● Pearl
5	2 834 04	3 gang - 1-way switch ● Dark Silver
5	2 830 05	3 gang - 2-way switch ● Silver
5	2 832 05	3 gang - 2-way switch ● Pearl
5	2 834 05	3 gang - 2-way switch ● Dark Silver
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2 832 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Pearl
5	2 834 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Dark Silver
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2 832 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Pearl
5	2 834 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Dark Silver

Mallia™ complete - white

single pole switches (continued)



2 810 10



2 810 16

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Mallia™ dressable - colour

single pole switches (continued)



2 830 12



2 834 16



Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
10	2 810 10	Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 33) The LED is not supplied 1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
5	2 830 10	Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 33) The LED is not supplied 1 gang - 1-way switch ● Silver
5	2 832 10	● Pearl
5	2 834 10	● Dark Silver
5	2 830 11	1 gang - 2-way switch ● Silver
5	2 832 11	● Pearl
5	2 834 11	● Dark Silver
4	2 830 09	1 gang - intermediate switch ● Silver
4	2 832 09	● Pearl
4	2 834 09	● Dark Silver
5	2 830 12	2 gang - 1-way switch ● Silver
5	2 832 12	● Pearl
5	2 834 12	● Dark Silver
5	2 830 13	2 gang - 2-way switch ● Silver
5	2 832 13	● Pearl
5	2 834 13	● Dark Silver
5	2 830 14	3 gang - 1-way switch ● Silver
5	2 832 14	● Pearl
5	2 834 14	● Dark Silver
5	2 830 15	3 gang - 2-way switch ● Silver
5	2 832 15	● Pearl
5	2 834 15	● Dark Silver
5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2 832 16	● Pearl
5	2 834 16	● Dark Silver
5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2 832 17	● Pearl
5	2 834 17	● Dark Silver

Mallia™ complete - white

single pole switches (continued)



2 810 50



2 810 53

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Mallia™ dressable - colour

single pole switches (continued)



2 834 53



2 830 54



Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch ● Silver
5	2 832 50	1 gang - 1-way switch ● Pearl
5	2 834 50	1 gang - 1-way switch ● Dark Silver
5	2 830 51	1 gang - 2-way switch ● Silver
5	2 832 51	1 gang - 2-way switch ● Pearl
5	2 834 51	1 gang - 2-way switch ● Dark Silver
4	2 830 69	1 gang - intermediate switch ● Silver
4	2 832 69	1 gang - intermediate switch ● Pearl
4	2 834 69	1 gang - intermediate switch ● Dark Silver
5	2 830 52	2 gang - 1-way switch ● Silver
5	2 832 52	2 gang - 1-way switch ● Pearl
5	2 834 52	2 gang - 1-way switch ● Dark Silver
5	2 830 53	2 gang - 2-way switch ● Silver
5	2 832 53	2 gang - 2-way switch ● Pearl
5	2 834 53	2 gang - 2-way switch ● Dark Silver
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2 832 54	3 gang - 1-way switch ● Pearl
5	2 834 54	3 gang - 1-way switch ● Dark Silver
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver
5	2 832 55	3 gang - 2-way switch ● Pearl
5	2 834 55	3 gang - 2-way switch ● Dark Silver

Mallia™ complete - white

push-buttons, dimmers, automatic switches



2 810 40



2 810 84

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
10	2 810 41	N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White

Pack	Cat.Nos	Dimmers
1	2 810 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ○ White
1	2 810 85	Rotary control dimmer 1000W 60-1000 W for incandescent and halogen lamps 230 V~ - 60-1000 VA ELV lamps with ferromagnetic transformer. 60-600VA for ELV lamps with electronic transformer. ○ White

Pack	Cat.Nos	Automatic switches
1	2 810 90	IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1 614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White

Mallia™ dressable - colour

push-buttons, dimmers, automatic switches



2 830 84



2 834 90

Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
5	2 830 41	N/O contact (push to make) ● Silver
5	2 832 41	● Pearl
5	2 834 41	● Dark Silver
5	2 830 40	N/O contact with bell symbol ● Silver
5	2 832 40	● Pearl
5	2 834 40	● Dark Silver

Pack	Cat.Nos	Dimmers
1	2 830 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 ● Silver
1	2 832 80	● Pearl
1	2 834 80	● Dark Silver
1	2 830 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ● Silver
1	2 832 84	● Pearl
1	2 834 84	● Dark Silver
1	2 830 85	Rotary control dimmer 1000W 60-1000 W for incandescent and halogen lamps 230 V~ - 60-1000 VA ELV lamps with ferromagnetic transformer. 60-600VA for ELV lamps with electronic transformer. ● Silver
1	2 832 85	● Pearl
1	2 834 85	● Dark Silver

Pack	Cat.Nos	Automatic switches
1	2 830 90	IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1 614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ● Silver
1	2 832 90	● Pearl
1	2 834 90	● Dark Silver

Mallia™ complete - white

double pole switches



2 810 62



2 810 72

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
		Equipped with earth link connector
10	2 810 60	1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White
10	2 810 65	2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
		Conform to BS EN 60669 - 1
10	2 810 71	1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
10	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™ dressable - colour

double pole switches



2 832 62



2 834 66



Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
		Equipped with earth link connector
5	2 830 60	1 gang - 1-way ● Silver
5	2 832 60	● Pearl
5	2 834 60	● Dark Silver
5	2 830 61	1 gang - 1-way with LED power indicator ● Silver
5	2 832 61	● Pearl
5	2 834 61	● Dark Silver
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ● Silver
5	2 832 62	● Pearl
5	2 834 62	● Dark Silver
5	2 830 65	2 gang - 1-way with LED power indicator ● Silver
5	2 832 65	● Pearl
5	2 834 65	● Dark Silver
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet ● Silver
5	2 832 66	● Pearl
5	2 834 66	● Dark Silver
5	2 830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ● Silver
5	2 832 67	● Pearl
5	2 834 67	● Dark Silver
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking ● Silver
5	2 832 68	● Pearl
5	2 834 68	● Dark Silver

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
		Conform to BS EN 60669 - 1
5	2 830 71	1 gang - 1-way with red indicator ● Silver
5	2 832 71	● Pearl
5	2 834 71	● Dark Silver
5	2 830 72	1 gang - 1-way with red indicator and cooker marking ● Silver
5	2 832 72	● Pearl
5	2 834 72	● Dark Silver
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ● Silver
5	2 832 73	● Pearl
5	2 834 73	● Dark Silver

Mallia™ complete - white

other lighting functions, cooker control units



2 810 91



2 810 75

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Programmable switches
1	2 810 92	Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
1	2 810 91	Time delay switches Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White
1	2 810 81	Fan speed controls 400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White
10	2 810 75	Cooker control units 45 A - 250 V~ Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White

Mallia™ dressable - colour

other lighting functions, cooker control units



2 832 81



2 812 75

Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Programmable switches
1 1 1	2 830 92 2 832 92 2 834 92	Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact Silver Pearl Dark Silver
1 1 1	2 830 91 2 832 91 2 834 91	Time delay switches Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor Silver Pearl Dark Silver
1 1 1	2 830 81 2 832 81 2 834 81	Fan speed controls 400 VA rotary fan control Silver Pearl Dark Silver
1 1 1	2 830 82 2 832 82 2 834 82	5-speed fan control 100 W for fan with overall diameter 48" Silver Pearl Dark Silver
5 5 5	2 812 75 2 832 75 2 834 75	Cooker control units 45 A - 250 V~ Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm Silver Pearl Dark Silver

Mallia™ complete - white

telephone and data sockets



2 811 60



2 811 65

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White

Pack	Cat.Nos	Data sockets
5	2 811 61	RJ 45 Cat. 5e UTP ○ White
5	2 811 62	RJ 45 Cat. 6 UTP ○ White
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White

Pack	Cat.Nos	Telephone and data sockets
5	2 811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White

Mallia™ dressable - colour

telephone and data sockets



2 835 63



2 831 62



Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5	2 831 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector
5	2 833 60	● Silver
5	2 835 60	● Pearl
		● Dark Silver
5	2 831 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector
5	2 833 63	● Silver
5	2 835 63	● Pearl
		● Dark Silver

Pack	Cat.Nos	Data sockets
5	2 831 61	RJ 45 Cat. 5e UTP
5	2 833 61	● Silver
5	2 835 61	● Pearl
		● Dark Silver
5	2 831 62	RJ 45 Cat. 6 UTP
5	2 833 62	● Silver
5	2 835 62	● Pearl
		● Dark Silver
5	2 831 64	Double RJ 45 Cat. 5e UTP
5	2 833 64	● Silver
5	2 835 64	● Pearl
		● Dark Silver
5	2 831 65	Double RJ 45 Cat. 6 UTP
5	2 833 65	● Silver
5	2 835 65	● Pearl
		● Dark Silver

Pack	Cat.Nos	Telephone and data sockets
5	2 831 66	RJ 11 + RJ 45 sockets Cat. 5e UTP
5	2 833 66	● Silver
5	2 835 66	● Pearl
		● Dark Silver

Mallia™ complete - white

telephone, data, television, shaver sockets and cable outlets



2 811 35



2 811 47

Conform to BS EN 60669 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Television sockets
10	2 811 51	TV female terminal socket ○ White 
10	2 811 52	TV female "F" type socket ○ White 
10	2 811 53	TV-R terminal socket ○ White 
5	2 811 57	TV-R-SAT socket ○ White 
2	2 811 55	TV-FM SCV outlet type F (2gang) ○ White 

Pack	Cat.Nos	Shaver sockets
1	2 811 35	240 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm ○ White 

Pack	Cat.Nos	Cable outlets
10	2 811 47	20 A ○ White 
5	2 811 48	45 A ○ White 

Mallia™ dressable - colour

telephone, data, television, shaver sockets and cable outlets



2 835 51



2 831 35

 Plates selection chart (p. 34)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Television sockets
5	2 831 51	TV female terminal sockets ● Silver ● Pearl ● Dark Silver 
5	2 833 51	
5	2 835 51	
5	2 831 52	TV female "F" type sockets ● Silver ● Pearl ● Dark Silver 
5	2 833 52	
5	2 835 52	
5	2 831 53	TV-R terminal sockets ● Silver ● Pearl ● Dark Silver 
5	2 833 53	
5	2 835 53	
5	2 831 57	TV-R-SAT sockets ● Silver ● Pearl ● Dark Silver 
5	2 833 57	
5	2 835 57	
5	2 831 55	TV-FM SCV outlet type F (2gang) (cover plate not included) ● Silver ● Pearl ● Dark Silver 
5	2 833 55	
5	2 835 55	

Pack	Cat.Nos	Shaver sockets
1	2 831 35	240 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm ● Silver ● Pearl ● Dark Silver 
1	2 833 35	
1	2 835 35	

Pack	Cat.Nos	Cable outlets
5	2 831 47	20 A ● Silver ● Pearl ● Dark Silver 
5	2 833 47	
5	2 835 47	
5	2 831 48	45 A - supplied complete with plate ● Silver ● Pearl ● Dark Silver 
5	2 833 48	
5	2 835 48	

Mallia™ complete - white

British standard socket outlets



2 811 10



2 811 14

Polycarbonate front cover plates with a matt finish. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection
Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
10	2 811 10	1 gang unswitched ○ White
5	2 811 12	2 gang unswitched ○ White Dim.: 146 x 86 mm
10	2 811 11	1 gang - single pole switched ○ White
10	2 811 14	1 gang - single pole switched with red power indicator ○ White
5	2 811 13	2 gang - single pole switched ○ White Dim.: 146 x 86 mm
5	2 811 15	2 gang - single pole switched with red power indicator ○ White Dim.: 146 x 86 mm

Mallia™ dressable - colour

British standard socket outlets



2 833 13



Plates selection chart (p. 34)

Painted polycarbonate front cover
Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
5	2 831 10	1 gang unswitched ● Silver
5	2 833 10	● Pearl
5	2 835 10	● Dark Silver
5	2 831 12	2 gang unswitched - Dim.: 146 x 86 mm ● Silver
5	2 833 12	● Pearl
5	2 835 12	● Dark Silver
5	2 831 11	1 gang - single pole switched ● Silver
5	2 833 11	● Pearl
5	2 835 11	● Dark Silver
5	2 831 14	1 gang - single pole switched with red power indicator ● Silver
5	2 833 14	● Pearl
5	2 835 14	● Dark Silver
5	2 831 13	2 gang - single pole switched - Dim.: 146 x 86 mm ● Silver
5	2 833 13	● Pearl
5	2 835 13	● Dark Silver
5	2 831 15	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm ● Silver
5	2 833 15	● Pearl
5	2 835 15	● Dark Silver

Mallia™ complete - white

British standard socket outlets and fused connection units



2 811 28



2 811 29

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Mallia™ dressable - colour

British standard socket outlets and fused connection units



2 835 28



2 833 42



Plates selection chart (p. 34)

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
To be equipped with plates
Dim.: 86 x 86 mm

Pack Cat.Nos British standard socket outlets 15 A - 250 V~

10	2 811 27	Conform to BS 546 1 gang unswitched ○ White
10	2 811 28	1 gang switched ○ White
10	2 811 29	1 gang switched, with red LED power indicator ○ White

Pack Cat.Nos British standard socket outlets 5 A - 250 V~

10	2 811 31	Conform to BS 546 1 gang unswitched ○ White
10	2 811 32	1 gang switched ○ White

Pack Cat.Nos 13 A fused connection units

10	2 811 40	Conform to BS 1363: Part 4 Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White

Pack Cat.Nos British standard socket outlets 15 A - 250 V~

5	2 831 27	Conform to BS 546 1 gang unswitched
5	2 833 27	● Silver
5	2 835 27	● Pearl
5	2 831 28	● Dark Silver
5	2 833 28	1 gang switched
5	2 835 28	● Silver
5	2 831 29	● Pearl
5	2 833 29	● Dark Silver
5	2 835 29	1 gang switched, with red LED power indicator

Pack Cat.Nos British standard socket outlets 5 A - 250 V~

5	2 831 31	Conform to BS 546 1 gang unswitched
5	2 833 31	● Silver
5	2 835 31	● Pearl
5	2 831 32	● Dark Silver
5	2 833 32	1 gang switched
5	2 835 32	● Silver
5	2 831 40	● Pearl
5	2 833 40	● Dark Silver

Pack Cat.Nos 13 A fused connection units

5	2 831 40	Conform to BS 1363: Part 4 Unswitched
5	2 833 40	● Silver
5	2 835 40	● Pearl
5	2 831 41	● Dark Silver
5	2 833 41	Switched
5	2 835 41	● Silver
5	2 831 42	● Pearl
5	2 833 42	● Dark Silver
5	2 835 42	Switched with red LED power indicator

Mallia™ complete - white

Euro-US, German and Multistandard socket outlets



2 811 00



2 811 20

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack Cat.Nos Euro-US standard socket outlets 10/16 A - 250 V~

10	2 811 00	2P - 1 gang ○ White
5	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

10 2 811 25 German standard socket outlets 16 A - 250 V~

10	2 811 25	2P+E - 1 gang ○ White
----	----------	--------------------------

10 2 811 20 Multistandard socket outlet 16 A - 250 V~/ 15 A - 127 V~

10	2 811 20	2P+E - 1 gang ○ White
----	----------	--------------------------

Mallia™ dressable - colour

Euro-US, German and Multistandard socket outlets



2 835 02



2 833 25



Plates selection chart (p. 34)

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
To be equipped with plates
Dim.: 86 x 86 mm

Pack Cat.Nos Euro-US standard socket outlets 10/16 A - 250 V~

5	2 831 00	2P - 1 gang ● Silver
5	2 833 00	2P - 1 gang + 10 A switch ● Silver
5	2 835 00	2P - 2 gang (separated connection) ● Silver
5	2 831 01	2P - 1 gang ● Pearl
5	2 833 01	2P - 1 gang + 10 A switch ● Pearl
5	2 835 01	2P - 2 gang (separated connection) ● Pearl
5	2 831 02	2P - 1 gang ● Dark Silver
5	2 833 02	2P - 1 gang + 10 A switch ● Dark Silver
5	2 835 02	2P - 2 gang (separated connection) ● Dark Silver
5	2 831 03	2P+E - 1 gang ● Silver
5	2 833 03	2P+E - 1 gang + 10 A switch ● Silver
5	2 835 03	2P+E - 2 gang ● Silver
5	2 831 04	2P+E - 1 gang ● Pearl
5	2 833 04	2P+E - 1 gang + 10 A switch ● Pearl
5	2 835 04	2P+E - 2 gang ● Pearl
5	2 831 05	2P - 1 gang ● Dark Silver
5	2 833 05	2P - 1 gang + 10 A switch ● Dark Silver
5	2 835 05	2P - 2 gang (separated connection) ● Dark Silver

5 2 831 25 5 2 833 25 5 2 835 25 German standard socket outlets 16 A - 250 V~

5	2 831 25	2P+E - 1 gang ● Silver
5	2 833 25	2P+E - 1 gang + 10 A switch ● Silver
5	2 835 25	2P+E - 2 gang ● Silver

5 2 831 20 5 2 833 20 5 2 835 20 Multistandard socket outlet 16 A - 250 V~/ 15 A - 127 V~

5	2 831 20	2P+E - 1 gang ● Silver
5	2 833 20	2P+E - 1 gang + 10 A switch ● Silver
5	2 835 20	2P+E - 2 gang ● Silver

Mallia™ complete - white

switches for hotels, downlighters



2 810 48



2 810 97

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switches - 15 A Time delay around 30 s ○ White 
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-buttons ○ White 
10	2 810 46	Do not disturb / Clean up - 2 gang switches ○ White 
5	2 810 97	Downlighters Low output downlighters 230 V~, with LED ○ White 

Mallia™ dressable - colour

switches for hotels, downlighters



2 830 45



2 834 97

 Plates selection chart (p. 34)

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 830 48	Key card switches - 15 A Time delay around 30 s ● Silver ● Pearl ● Dark Silver 
1	2 832 48	
1	2 834 48	
5	2 830 45	Do not disturb / Occupied / Clean up Bell push-buttons ● Silver ● Pearl ● Dark Silver 
5	2 832 45	
5	2 834 45	
5	2 830 46	Do not disturb / Clean up - 2 gang switches ● Silver ● Pearl ● Dark Silver 
5	2 832 46	
5	2 834 46	
5	2 830 97	Downlighters Low output downlighters 230 V~, with LED ● Silver ● Pearl ● Dark Silver 
5	2 832 97	
5	2 834 97	

Mallia™ complete - white

sound distribution



2 811 82



2 811 84

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Mallia™ dressable - colour

sound distribution



2 833 80



2 831 85



Plates selection chart (p. 34)

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing : - 1 power supply - 1 tuner - 2 loudspeakers White

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 831 80	Kit containing : - 1 power supply - 1 tuner - 2 loudspeakers Silver Pearl Dark Silver
1	2 833 80	
1	2 835 80	

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules
1	2 811 82	Central units White
1	2 811 83	Local control units With LCD display, child surveillance and intercommunication White
1	2 811 84	Radio tuner with local control units Dim.: 146 x 86 mm White
1	2 811 85	Loudspeakers White

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules
1	2 831 82	Central units Silver Pearl Dark Silver
1	2 833 82	
1	2 835 82	
1	2 831 83	Local control units With LCD display, child surveillance and intercommunication Silver Pearl Dark Silver
1	2 833 83	
1	2 835 83	
1	2 831 84	Radio tuner with local control units Dim.: 146 x 86 mm Silver Pearl Dark Silver
1	2 833 84	
1	2 835 84	
1	2 831 85	Loudspeakers Silver Pearl Dark Silver
1	2 833 85	
1	2 835 85	

Mallia™ dressable

plates, frames, blanking plates, adaptors and accessories





Pack	Cat.Nos	Plates*
10	2 819 00	1 gang ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
5	2 819 01	2 x 1 gang ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
5	2 819 76	2 gang - Vertical For Cat.Nos 2 810 73, 2 830 73, 2 832 73 and 2 834 73 (p. 24) ○ White ● Silver ● Champagne ● Pearl ● Dark Silver ● Brass ● Bronze ● Matt Black ● Copper
5	2 819 02	
5	2 819 07	
5	2 819 12	
5	2 819 52	
5	2 819 57	
5	2 819 62	
5	2 819 67	
5	2 819 72	
5	2 819 77	
2	6 171 31	Fixing accessories Splash-proof cover Mainly for socket protection IP44 with or without plug engaged Space inside : 86 x 86 mm

Pack	Cat.Nos	Blanking plates
		Supplied without plates
10	2 811 90	1 gang ○ White ● Silver ● Pearl ● Dark Silver
10	2 831 90	
10	2 833 90	
10	2 835 90	
5	2 811 91	2 gang ○ White ● Silver ● Pearl ● Dark Silver
5	2 831 91	
5	2 833 91	
5	2 835 91	
5	2 811 92	Arteor™ (Square) adaptors Supplied without plates 1 gang ○ White ● Silver ● Pearl ● Dark Silver
5	2 831 92	
5	2 833 92	
5	2 835 92	
5	2 811 93	2 gang ○ White ● Silver ● Pearl ● Dark Silver
5	2 831 93	
5	2 833 93	
5	2 835 93	
5	2 818 95	Transparent rockers with label holders for switches Can be used instead of the standard rocker plates Supplied with white labels 1 gang
5	2 818 96	
5	2 818 97	
10	2 819 97	Lamps For locator use LED 220 V, green low consumption
10	2 819 98	
		For indicator use LED 220 V, red - high luminosity

*Please consult us for 3, 4 or 5 gang plates.

Mallia™ plates selection chart

PLATES				
		Plates*		
		1 gang	2 x 1 gang	2 gang
White		2 819 00	2 819 01	2 819 02
Silver		2 819 05	2 819 06	2 819 07
Champagne		2 819 10	2 819 11	2 819 12
Pearl		2 819 50	2 819 51	2 819 52
Dark Silver		2 819 55	2 819 56	2 819 57
Brass		2 819 60	2 819 61	2 819 62
Bronze		2 819 65	2 819 66	2 819 67
Matt Black		2 819 70	2 819 71	2 819 72
Copper		2 819 75	2 819 76	2 819 77

Mallia™ complete or dressable: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours
You'll find a solution for every situation in complete, modular or dressable mounting

■ Complete mounting: Mallia White



=



Cat.No 2 810 00

Supplied complete with plate



1 Cat.No: 2 810 00



Blanking plates



Arteor™ (square) adaptors

1 gang	2 gang	1 gang	2 gang
2 811 90	2 811 91	2 811 92	2 811 93
2 831 90	2831 91	2 831 92	2 831 93
-	-	-	-
2 833 90	2 833 91	2 833 92	2 833 93
2 835 90	2 835 91	2 835 92	2 835 93
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

***Please consult us for 3, 4 or 5 gang plates.**

■ Dressable mounting: Mallia colours



=



Cat.No 2 830 02

+



Cat.No 2 819 70

►

2 Cat.Nos:
2 830 02
+
2 819 70



**Legrand Singapore
Showroom**

15 Jalan Kilang Barat
#07-05/06/07 Frontech Centre
Singapore 159357

Tel: (65) 6861 2234

Fax: (65) 6416 1580

Email: customerhub.sg@legrand.com.sg

Website: www.legrand.com.sg



Printed with environmentally friendly soy based ink on 50% recycled paper